

CADDIE.TRANSMASSE

LOGISTICS
SOLUTIONS

caddie®



caddie®

Caddie, Solutions for manual handling

Optimized capacity for a better handling

EFFICIENT LOGISTICS


Solutions for manual handling to support more ergonomic and productive working conditions

Safe and fluid transport of fragile and valuable goods.
One-piece and rigid structure for high resistance and flexibility of use.



BENEFITS

- **DURABILITY** of your equipment
- **ERGONOMICS** of use and prevention of occupational risks
- **PROTECTION** of goods and users





« Caddie.Transmasse makes our logistic more fluid and safer »

Isabelle **P.** *Logistic manager*



« It comes up with resistance and flexibility of use making our job more efficient ».

Franck **D.** *Loading bay supervisor*

APPLICATIONS

	Food industry	Manufacturing industry	Cosmetic and pharmaceutical industry	Electronic industry	Food retail	Delivery company
Handling and transfers		•	•			•
Transfers from production unit to stores		•			•	
Mobile storage	•			•		
Transfers from production batches		•				
Supply of work stations		•		•		

SPECIFICATIONS

	Standard	Option
Overall height	1900mm	
Admissible load	500kg	
Empty weight	57kg	
Article number	4 492 10	
DURABILITY		
One-piece and rigid structure	•	
ACCESSIBILITY		
Door	•	
Rear panel	•	
CAPACITY		
Coupling device		•
PROTECTION		
Base Bumpers		•
Identification with customised plate		•
MANIABILITY		
Sandwich Ø125mm casters 2 fixed 2 swivel		•
Sandwich Ø125mm casters 4 swivel		•
Polypropylene Ø100mm casters 2 swivel + 2 fixed	•	
Polypropylene Ø100mm casters 4 swivel		•

LOGISTICS MANAGER



2 bolted side panels make up the top cover. Side panels screwed onto the base to ensure absolute sturdiness. Resistance against shocks and distortion.

ENDURANCE



Rear panels are tightly bolted onto the side panels

DURABILITY



Door with opening and closing device.
Secure locking. Possibility to put seals or a padlock.

PROTECTION



Steel base strengthened by a tube frame and 4 reinforced wires supporting the shocks transmitted by the castors.
Fixation of castors on a metal plate welded on the base.
4 heavy corner brackets incorporating the sockets for the panels. With rounded shape and no sharp edge.






Metal name plate for clear identification.



Opening 1 door which completely folds back.
One-piece structure for a direct transmission of handling efforts.

ERGONOMICS



Close mesh 45x95 mm. Theft proof. Profiled steel tubing fully integrating the panel wires: no sharp edges.

SAFETY



The side panels are tightly bolted onto the base at the 4 corners.



Sandwich Ø 125 mm casters with a shock absorbing ring incorporated into the wheel.

MANIABILITY

CADDIE.TRANSMASSE

LOGISTICS
SOLUTIONS



Entreprise
du Patrimoine
Vivant

L'excellence
des savoir-faire
français

caddie®

Quality since 1928

Les Ateliers Réunis Caddie S.A.S

1, route de Herrlisheim
67410 Drusenheim
FRANCE

Tel. : +33 (0)3 88 90 62 62

Fax : +33 (0)3 88 90 62 00

www.caddie.com

Most of our models are patented or protected by registered trademarks in France and worldwide.
We reserve the right to make any modifications to our items that we see fit, without prior notice.